

ANNEX 1: ENVIRONMENT AGENCY CONSULTATION

Jo Somerton
Joanne.somerton@aeacom.com

Our ref: CCN/2018/87235

Date: 5th June 2018

Dear Jo,

Provision of Flood Risk Information for a site on the South Humber Bank near Stallingborough, North East Lincolnshire.

Thank you for your request to use our flood risk information in the development of the Flood Risk Assessment (FRA) for the above site. The information is set out below and attached. It is important you read any contextual notes on the maps provided.

We aim to review our information on a regular basis, so if you are using this data more than twelve months from the date of this letter, please contact us again to check it is still valid.

Flood Map

The attached map includes the current Flood Map for your area. The Flood Map indicates the area at risk of flooding, **assuming no flood defences exist**, for a flood with a 0.5% chance of occurring in any year for flooding from the sea, or a 1% chance of occurring for fluvial (river) flooding. It also shows the extent of the Extreme Flood Outline which represents the extent of a flood with a 0.1% chance of occurring in any year, or the highest recorded historic extent if greater.

In some locations, such as around the fens and the large coastal floodplains, showing the area at risk of flooding assuming no defences may give a slightly misleading picture in that if there were no flood defences, water would spread out across these large floodplains. This flooding could cover large areas of land but to relatively shallow depths and could leave pockets of locally slightly higher land as isolated dry islands. It is important to understand the actual risk of the flooding to these dry islands, particularly in the event of defence failure.

The Flood Map also shows the location of formal raised flood defences and flood storage reservoirs. It represents areas at risk of flooding for present day only and does not take account of climate change.

The Flood Map only indicates the extent and likelihood of flooding from rivers or the sea. It should also be remembered flooding may occur from other sources such as surface water sewers, road drainage, etc.

Historic Flood Extent Map

A copy of the Historic Flood Extent Map showing the extent of previous recorded flooding in your area is attached. This only covers information we hold and it is possible other flooding may have occurred which other organisations, such as the Local Authority or Internal Drainage Boards, may have records.

Fluvial Flood Risk Information

Fluvial Defence Information

The fluvial defences reducing the risk of flooding to this site consist of earth embankments until TA 22595 12752. They are in fair condition and reduce the risk of flooding to a 1% (1 in 100) chance of occurring in any year. We inspect these defences routinely to ensure potential defects are identified. From TA 22595 12752 to the sea, there are no formal flood defences reducing the risk of flooding to this site. The nearby 'main river' channel reduces the risk of flooding to a 1% (1 in 100) chance of occurring in any year.

Modelled Levels and Flows

Available modelled fluvial flood levels and flows for the model nodes shown on the attached map are set out in the data table attached. This data is taken from the model named on the data table, which is the most up-to-date model currently available.

Please note these levels are "in-channel" levels and therefore may not represent the flood level on the floodplain, particularly where the channel is embanked or has raised defences.

Modelled Flood Extents

Please find attached a map showing available modelled flood extents, taking into account flood defences, for your area. This data is taken from the model named on the map, which is the most up-to-date model currently available.

Tidal Flood Risk Information

Tidal Defence Information

The tidal defences protecting this site consist of concrete floodwalls.

They are in good condition and reduce the risk of flooding to a 0.5% (1 in 200) chance of occurring in any year. We inspect these defences routinely to ensure potential defects are identified.

Tidal Flood Levels

The attached table shows our current best estimate for extreme tide levels.

Levels for the Humber Estuary have an assessment date of 2014, with others having an assessment date of 2006, which should be used in any consideration of future increases due to climate change.

Modelled Hazard Mapping

For certain locations we have carried out modelling to map the maximum values of flood depth, velocity and hazard rating (danger to people) resulting from overtopping and / or breaching of defences at specific locations for a number of scenarios.

At present this information is available along the full coastal / tidal floodplain, except the tidal Witham Haven in Boston (upstream of Hobhole) where only breaching and not overtopping has been modelled and the tidal River Welland upstream of Fosdyke Bridge where neither breaching nor overtopping are available. Hazard mapping is also available for fluvial flood risk in Northampton, Lincoln, Brigg, Wainfleet and some isolated rural locations.

The number of locations we have this information for is expected to increase in time.

Hazard Mapping – Breaching

The attached maps show the maximum values of flood depth, velocity and hazard rating (danger to people) resulting from breaching of the defences at specific locations for the scenarios below. For some locations the breach mapping also includes flooding from overtopping if this is expected in that scenario. The location of modelled tidal breaches is shown on a separate attached map.

- Year 2006 0.5% (1 in 200) chance
- Year 2006 0.1% (1 in 1000) chance
- Year 2115 0.5% (1 in 200) chance
- Year 2115 0.1% (1 in 1000) chance

Hazard Mapping – Overtopping

The attached maps show the maximum values of flood depth, velocity and hazard rating (danger to people) resulting from simulated overtopping of defences for the following scenarios:

- Year 2006 0.5% (1 in 200) chance
- Year 2006 0.1% (1 in 1000) chance
- Year 2115 0.5% (1 in 200) chance
- Year 2115 0.1% (1 in 1000) chance

Development Planning

If you have requested this information to help inform a development proposal, then you should note the information on GOV.UK on the use of our information for Flood Risk Assessments. We recommend that you undertake a formal pre-application enquiry using the form available from the website.

<https://www.gov.uk/planning-applications-assessing-flood-risk>

<https://www.gov.uk/government/publications/pre-planning-application-enquiry-form-preliminary-opinion>

Climate change will increase flood risk due to overtopping of defences. Please note the climate change data included has an allowance for 20% increase in flow. Updated guidance on how climate change could affect flood risk to new development - 'Flood risk assessments: climate change allowances' was published on GOV.UK in February 2016. The appropriate updated climate change allowance should be applied in a Flood Risk Assessment.

You should also consult the Strategic Flood Risk Assessment produced by your local planning authority.

Supporting Information

Please see the Standard Notice or licence for details of permitted use. The Standard Notice can be found at the link below.

<http://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/>

We respond to requests for recorded information we hold under the Freedom of Information Act 2000 (FOIA) and the associated Environmental Information Regulations 2004 (EIR).

Further information on flood risk can be found on the GOV.UK website at:

<https://www.gov.uk/browse/environment-countryside/flooding-extreme-weather>

Other Flood Risk Management Authorities

The information provided with this letter relates to flood risk from main river or the sea. Additional information may be available from your Lead Local Flood Authority (ie county council or unitary authority) or, where they exist, the Internal Drainage Board.

Further Contact

I hope we have correctly interpreted your request. If you are not satisfied with our response to your request for information, you can contact us within two calendar months to ask for our decision to be reviewed.

If you have any queries or would like to discuss the content of this letter further please contact Antonia MacDonald using the details below.

Yours sincerely,



FOR Claire Rose

Partnerships and Strategic Overview Team Leader - South Humber and East Coast

Direct dial +44 (0) 2077 140539

Direct e-mail PSO_Coastal@environment-agency.gov.uk

Enc.

Flood Map

Historic Flood Extent Map

Modelled Fluvial and Flows Data Sheet

Modelled Flood Extent Maps

Estimated Tide Levels

Tidal Breach Locations Map


Hazard Mapping – Breaching (4 maps)

Hazard Mapping – Overtopping (4 maps)



Awarded to Lincolnshire & Northamptonshire Area

Flood Map centred on TA 23088 13043 - created June 2018 [Ref: CCN-2018-87235]



Scale 1:10,000



- Modelled Nodes
- Main River
- Raised Defences
- Flood Storage Areas
- Area at Risk of Flooding from Rivers or The Sea
- Extreme Flood Outline

Dark blue shows the area that could be affected by flooding, either from rivers or the sea, if there were no flood defences. This area could be flooded:


- from the sea by a flood that has a 0.5% (1 in 200) or greater chance of happening each year.
- or from a river by a flood that has a 1% (1 in 100) or greater chance of happening each year.

Light blue shows the extent of the Extreme Flood Outline, which represents the extent of a flood event with a 0.1% chance of occurring in any year, or the highest recorded historic extent if greater.

These two colours show the extent of the natural floodplain if there were no flood defences or certain other manmade structures and channel improvements. Sites outside the two extents, but behind raised defences, may be affected by flooding if the defences are overtopped or fail.

Created by the Partnerships and Strategic Overview Team, Lincoln

Historic Flood Extent Map centred on TA 23088 13043 - created June 2018 [Ref: CCN-2018-87235]



Scale 1:10,000



- Main River
- January 1953 along the Lincolnshire Coastline

Created by the Partnerships and Strategic Overview Team, Lincoln

Datasheet [Ref: CCN-2018-87235]

Oldfleet Drain and Stallingborough North Beck Model – April 2009

Fluvial Flood Levels (mODN)

The fluvial flood levels for the model nodes shown on the attached map are set out in the table below. They are measured in metres above Ordnance Datum Newlyn (mODN).


Node Label	Easting	Northing	Annual Exceedance Probability - Maximum Water Levels (mODN)											
			50% (1 in 2)	20% (1 in 5)	10% (1 in 10)	5% (1 in 20)	4% (1 in 25)	2% (1 in 50)	1.33% (1 in 75)	1% (1 in 100)	1% (1 in 100) inc 20% Climate Change	0.5% (1 in 200)	0.1% (1 in 1000)	0.1% (1 in 1000) inc 20% Climate Change
OFT2530	522109	412303	2.45	2.54	2.56	2.57	2.57	2.58	2.58	2.58	2.58	2.58	2.58	2.58
OFT1550	522898	412678	2.44	2.54	2.55	2.57	2.57	2.58	2.58	2.58	2.58	2.58	2.58	2.58
OFT0400	523610	413005	2.43	2.54	2.55	2.56	2.57	2.58	2.58	2.58	2.58	2.58	2.58	2.58

Fluvial Flood Flows (m³/s)

The fluvial flood flows for the model nodes shown on the attached map are set out in the table below. They are measured in metres cubed per second (m³/s).

Node Label	Easting	Northing	Annual Exceedance Probability - Maximum Flows (m³/s)											
			50% (1 in 2)	20% (1 in 5)	10% (1 in 10)	5% (1 in 20)	4% (1 in 25)	2% (1 in 50)	1.33% (1 in 75)	1% (1 in 100)	1% (1 in 100) inc 20% Climate Change	0.5% (1 in 200)	0.1% (1 in 1000)	0.1% (1 in 1000) inc 20% Climate Change
OFT2530	522109	412303	1.81	2.33	2.64	2.93	3.05	3.21	3.24	3.25	3.27	3.26	3.29	3.29
OFT1550	522898	412678	2.55	2.98	3.05	3.36	3.51	3.31	3.32	3.33	3.34	3.33	3.33	3.33
OFT0400	523610	413005	4.88	5.36	5.06	5.90	6.40	4.33	4.33	4.33	4.27	4.33	4.34	4.27

Modelled Flood Extents (with defences) Oldfleet Drain and Stallingborough North Beck Model - April 2009
Map centred on TA 23088 13043 - created June 2018 [Ref: CCN-2018-87235]



Scale 1:10,000

Modelled Flood Extents (with defences)

- Main River
- 5% (1 in 20) Fluvial Event
- 1% (1 in 100) Fluvial Event
- 1% (1 in 100) Fluvial Event inc Climate Change
- 0.1% (1 in 1000) Fluvial Event
- 0.1% (1 in 1000) Fluvial Event inc Climate Change


Created by the Partnerships and Strategic Overview Team, Lincoln

Tidal Water Levels for the South Humber, East Coast and The Wash

The table below shows still water levels for locations, from the above location map, around the South Humber Estuary, East Coast and The Wash. It is important to note the following:

- The base date for the data is 2014 for the South Humber and 2006 for the East Coast and The Wash.
- The data are still water levels. Depending on the use of the data it may be necessary to consider wave heights and / or joint probability analysis of water level and other variables.
- The water level quoted is the ‘Best Estimate’ water level. Depending on the use of the data it may be necessary to carry out sensitivity testing. Upper and Lower 95% confidence bandings are available upon request.
- Levels for other annual chance scenarios are available if required.

Ref	Location	Easting	Northing	Annual Chance (1 in x) of Tide Level					
				metres ODN					
				1	10	50	100	200	1000
HUMBER									
H030	Tetney	535420	403180	3.94	4.29	4.56	4.69	4.82	5.15
H050	Buck Beck	532700	406580	4.03	4.36	4.62	4.74	4.87	5.18
H060	Grimsby	527878	411346	4.10	4.43	4.70	4.82	4.95	5.27
H080	Haborough Marsh	520790	415740	4.26	4.61	4.88	5.01	5.14	5.47
H090	Immingham	519141	417449	4.26	4.61	4.88	5.01	5.14	5.47
H100	South Killingholme	518700	417120	4.41	4.77	5.05	5.18	5.32	5.66
H130	North Killingholme	516530	420000	4.51	4.87	5.15	5.28	5.42	5.77
H150	East Halton	514450	422870	4.59	4.96	5.25	5.39	5.53	5.89
H170	Goxhill	511970	425440	4.67	5.04	5.34	5.47	5.61	5.95
H200	New Holland	508020	424330	4.87	5.26	5.55	5.68	5.81	6.12
H210	Barrow Haven	506380	422620	4.92	5.31	5.60	5.73	5.86	6.17
H220	Ferriby	497550	421150	5.04	5.42	5.67	5.77	5.86	6.04
H230	Winterton	493420	422830	5.14	5.51	5.74	5.83	5.90	6.02
H250	Blacktoft	484247	424190	5.25	5.62	5.83	5.90	5.96	6.04
H270	Goole	474857	422960	5.46	5.85	6.07	6.15	6.21	6.29
East Coast									
~	Great Eau	545500	393800	3.80	4.19	4.46	4.57	4.69	4.96
~	Boygrift	553300	379800	3.84	4.24	4.53	4.65	4.77	5.05
~	Burgh Sluice	555190	358620	4.26	4.45	4.76	4.90	5.03	5.34
Wash									
~	Hobhole	536610	339940	4.82	5.30	5.64	5.78	5.93	6.27
~	Lawyers Sluice	540750	334550	4.84	5.32	5.66	5.80	5.95	6.29
~	West Lighthouse	549150	325750	4.88	5.37	5.71	5.86	6.01	6.35
~	Grand Sluice	532400	344500	4.88	5.33	5.65	5.78	5.93	~
~	Fosdyke Bridge	531700	332200	4.91	5.38	5.71	5.85	5.99	~
~	Marsh Road	526000	324000	5.04	5.44	5.73	5.85	5.98	~
~	Wisbech	546100	310000	4.83	5.25	5.53	5.66	5.78	~
~	Dog In Doublet	527300	299300	3.67	4.00	4.22	4.32	4.42	~



This map indicates the location of where we have modelled the consequence of breaches in the defences along the coastline and tidal rivers. We have mapped the the maximum values of Hazard Rating (Danger to People), Depth and Velocity.

We have not assumed that all breaches occur at the same time, but have modelled each breach individually and overlaid the results to find the maximum values.

Our modelling only considers the consequences of a breach, it does not make any assumption about the likelihood of a breach occurring. Our defences generally provide a good standard of flood defence but a risk of breaching remains.

Please contact the Environment Agency for information on how these maps are used in the management of flood risk.

Environment Agency

Produced by the Partnership and Strategic Overview Team, Lincoln
General Enquiries No: 03708 506 506

Northern Area Tidal Hazard Mapping

Location of Modelled Breaches

This map is reproduced by permission of Ordnance Survey on behalf of The Controller of Her Majesty's Stationary Office. Crown copyright. All rights reserved. Environment Agency 100026380, 2016. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.